

Decontamination Form

For the purpose of Occupational Health and Safety requirements it is required for all liquid handling (LQH) devices being sent to Eppendorf South Pacific, be accompanied by a certificate of decontamination completed and signed by a suitably authorised representative.

Discount Code: _____

Contact Name:		
Organisation:		
Department/ Location:		
Delivery Address:		
Suburb:	State:	Post Code:
Phone:	Fax:	
Email:		
Billing Address:		
Suburb:	State:	Post Code:

Include your Purchase Order Number or other form of payment and send to: Eppendorf South Pacific—Technical Service Unit 4, 112 Talavera Road North Ryde, NSW 2113	
Purchase Order #:	
A/C Payable Contact:	
A/C Phone Number:	Fax Number:
Credit Card #:	
Name On Credit Card:	
Expiry Date:	
Please indicate if you would like to receive a calibration reminder via e-mail: <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes provide calibration frequency in months below: <input type="checkbox"/> 1 month <input type="checkbox"/> 3 months <input type="checkbox"/> 6 months <input type="checkbox"/> 12 months	

Please select the service level you require by checking the appropriate box

Item	Model & Size	Serial No.	Description and comments	Warranty	Basic	Standard	Premium	Trade-in
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								

Please indicate if the listed equipment has been used with any of the following:

Bio-hazardous material	Radioactive specimens	Hazardous chemicals or solvents	Other hazardous substances
------------------------	-----------------------	---------------------------------	----------------------------

Please describe the method used to decontaminate your equipment listed:

--

Please complete the following declaration:

I confirm the above materials have been decontaminated and cleaned of any potential biological, radioactive or chemical hazard using standard recognised suitably documented procedures.

Name: _____ Position: _____

Authorised Signature: _____ Date: _____

